


**D4048-041 MOUNTING LUG ASSY (SHOWN)**



**D4048-042 MOUNTING LUG ASSY (SHOWN)**


**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-041/-042" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D4048-041/-042: 1.16 lbs
- 8) TORQUE AN4 BOLTS TO 50-70 in-lbs (5.6-7.9 Nm)

ITEM	QTY -041	QTY -042	P/N	Description
	X		D4048-041	MOUNTING LUG ASSY
		X	D4048-042	MOUNTING LUG ASSY
1	1	1	D4048-1	MOUNTING LUG
2	1		D4048-3	MOUNTING LUG
3		1	D4048-4	MOUNTING LUG
4	4	4	D4048-9	BUSHING
5	2	2	AN960JD416	WASHER
6	2	2	AN4-14A	BOLT
7	2	2	MS21042L4	NUT

**RELEASED**  
2010-02-16  
*MP*

A	NEW ISSUE	RF	10.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>GP</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>GP</i>	D4048	SHEET 1 OF 9
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	






**NOTES:**


- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR  
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3 5.1) PER DART QSI 005 4.3  
MASK Ø0.315 HOLES PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.47 lbs

RELEASED  
2010-02-16  
MP

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>GP</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>GP</i>	<b>D4048</b>	SHEET 2 OF 9
APPROVED	<i>GP</i>	TITLE	SCALE
DE APPR.	<i>GP</i>	<b>MOUNTING LUG ASSY</b>	NTS
DATE	<b>10.01.29</b>	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



VIEW A-A C5-3





NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR  
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3  
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-3)  
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.61 lbs

**D4048-3 MOUNTING LUG**






RELEASED  
2010-02-16

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. <b>D4048</b>	REV. A
MFG. APPR.	<i>[Signature]</i>	SHEET 3 OF 9	
APPROVED	<i>[Signature]</i>	TITLE <b>MOUNTING LUG ASSY</b>	SCALE NTS
DE APPR.	<i>[Signature]</i>	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DATE	10.01.29		



RELEASED  
2010-02-16  
MP

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	D4048	SHEET 4 OF
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT	




- NOTES:
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR  
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3  
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-5)  
PRIOR TO POWDER COAT
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-5" USING FINE POINT PERMANENT INK MARKER
  - 7) WEIGHT: 0.44 lbs

**D4048-5 MOUNTING LUG**

**RELEASED**  
2010-02-16


DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	<b>D4048</b>	SHEET 5 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>MOUNTING LUG ASSY</b>	NTS
DATE	10.01.29	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

D  
C  
B  
A




- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116) PER AMS-QQ-A-200/8 (OR AMS 4160) REF DART SPEC. M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3 MASK  $\phi 0.257$  HOLES AND INDICATED CHANNEL (ZN C7-6) PRIOR TO POWDER COAT
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-6" USING FINE POINT PERMANENT INK MARKER
  - 7) WEIGHT: 0.44 lbs

**D4048-6 MOUNTING LUG**











**VIEW F-F D6-6**





**VIEW G-G C4-6**

**RELEASED**  
2010-02-16

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4048	SHEET 6 OF 9
APPROVED		TITLE	SCALE
DE APPR.		MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



**SECTION K-K** C2-7



**VIEW J-J** C4-7




**RELEASED**  
2010-02-16

**NOTES:**


- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR  
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6B
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3  
MASK  $\phi 0.257$  HOLES AND INDICATED CHANNEL (ZN C7-7)  
PRIOR TO POWDER COAT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-7" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.62 lbs

**D4048-7 MOUNTING LUG**

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	GP	DRAWING NO.	REV. A
MFG. APPR.	GP	D4048	SHEET 7 OF 9
APPROVED	GP	TITLE	SCALE
DE APPR.	GP	MOUNTING LUG ASSY	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			




**SECTION N-N** C1-8




- NOTES:**
- 1) MATERIAL: 6061-T6 (OR 6061-T651/T6510/T6511/T62) BAR  
PER AMS-QQ-A-225/8 (OR 4117/4128/4115/4116)  
PER AMS-QQ-A-200/8 (OR AMS 4160)  
REF DART SPEC. M6061T6B
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3  
MASK Ø0.257 HOLES AND INDICATED CHANNEL (ZN C7-8)  
PRIOR TO POWDER COAT
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4048-8" USING FINE POINT PERMANENT INK MARKER
  - 7) WEIGHT: 0.62 lbs

**D4048-8 MOUNTING LUG**



**VIEW L-L** B7-8





**VIEW M-M** C4-8

**RELEASED**  
2010-02-16

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		<b>D4048</b>	SHEET 8 OF 9
APPROVED		TITLE	SCALE
DE APPR.		<b>MOUNTING LUG ASSY</b>	NTS
DATE	10.01.29	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	





**D4048-9 BUSHING**

**RELEASED**  
2010-02-16  
*[Signature]*

**NOTES:**

- 1) MATERIAL: AISI 303 STAINLESS STEEL BAR  
REF DART SPEC. M303B
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	<b>D4048</b>	SHEET 9 OF 9
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>MOUNTING LUG ASSY</b>	NTS
DATE	10.01.29	COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	